NCPDP VERSION D CLAIM BILLING/CLAIM REBILL

REQUEST CLAIM BILLING/CLAIM REBILL PAYER SHEET ** Start of Reque er Sheet **

est Claim	Billing/	Claim Rel	oill (B1/B3) Paye

GENERAL INFORMATION		
Date: 08/04/2020		
BIN: 600428	PCN: 01990000	
BIN: 018810	PCN: 01990000	
BIN: 600428	PCN: 01990000	
<u>.</u>		
NCPDP Telecommunication Standard Version/Release #: D.0		
NCPDP External Code List Version Date: March, 2010		
<u>.</u>		
	Date: 08/04/2020 BIN: 600428 BIN: 018810 BIN: 600428 VCPDP Telecommunication	

OTHER TRANSACTIONS SUPPORTED

Payer: Please list each transaction supported with the segments, fields, and pertinent information on each transaction.

Transaction Code	Transaction Name
B2	Reversal

FIELD LEGEND FOR COLUMNS

Payer Usage Column	Value	Explanation	Payer Situation Column
MANDATORY	Μ	The Field is mandatory for the Segment in the designated Transaction.	No
REQUIRED	R	The Field has been designated with the situation of "Required" for the Segment in the designated Transaction.	No
QUALIFIED REQUIREMENT	RW	"Required when". The situations designated have qualifications for usage ("Required if x", "Not required if y")	Yes

Fields that are not used in the Claim Billing/Claim Rebill transactions and those that do not have qualified requirements (i.e. not used) for this payer are excluded from the template.

CLAIM BILLING/CLAIM REBILL TRANSACTION

The following lists the segments and fields in a Claim Billing or Claim Rebill Transaction for the NCPDP Telecommunication Standard Implementation Guide Version D.Ø.

Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	X	
Source of certification IDs required in Software		Certification Not Required.
Vendor/Certification ID (11Ø-AK) is Payer Issued		
Source of certification IDs required in Software		
Vendor/Certification ID (11Ø-AK) is Switch/VAN issued		
Source of certification IDs required in Software		
Vendor/Certification ID (11Ø-AK) is Not used		

	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
1Ø1-A1	BIN NUMBER	600428	М	
		018810		
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1, B3	М	
1Ø4-A4	PROCESSOR CONTROL NUMBER	01990000	М	Valid PCN required.
1Ø9-A9	TRANSACTION COUNT	1 - 4	М	1-4 transactions for transmissions
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	01	М	Only value '01' (NPI) accepted.

	Transaction Header Segment			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
2Ø1-B1	SERVICE PROVIDER ID		М	NPI of pharmacy
4Ø1-D1	DATE OF SERVICE		М	
11Ø-AK	SOFTWARE VENDOR/CERTIFICATION ID	6Ø1DN3ØY	М	6Ø1DN3ØY

Insurance Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	Х	

	Insurance Segment Segment Identification (111-AM) = "Ø4"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø2-C2	CARDHOLDER ID		M	Payer Requirement: As printed on member's card.
3Ø3-C3	PERSON CODE		RW	Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID. Payer Requirement: Same as Imp Guide
3Ø6-C6	PATIENT RELATIONSHIP CODE		R	<i>Imp Guide:</i> Required if needed to uniquely identify the relationship of the Patient to the Cardholder. <i>Payer Requirement:</i> Same as Imp Guide

Patient Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
This Segment is always sent	Х	
This Segment is situational		

	Patient Segment Segment Identification (111-AM) = "Ø1"				Claim Billing/Claim Rebill
Field	NCPDP Field Name	Value		Payer Usage	Payer Situation
3Ø4-C4	DATE OF BIRTH			R	
3Ø5-C5	PATIENT GENDER CODE			R	
311-CB	PATIENT LAST NAME			R	
Claim Segn	nent Questions	Check	Claim Billing/Cla If Situational, Pay		
This Segme	nt is always sent	Х			
This payer s	supports partial fills				
This payer of	loes not support partial fills	X			

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

	Claim Segment Segment Identification (111-AM) = "Ø7"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = Rx Billing – Transaction is a billing for a prescription or OTC drug product	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing)
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE		M	
436-E1	NUMBER PRODUCT/SERVICE ID QUALIFIER	00 = Not Specified 03 = National Drug Code (NDC)	М	00 = Multi-Ingredient Compound billing
4Ø7-D7	PRODUCT/SERVICE ID	Ø = If Compound, otherwise 11 digit NDC	М	
442-E7	QUANTITY DISPENSED		R	
442-L7 4Ø3-D3	FILL NUMBER		R	
4Ø5-D5	DAYS SUPPLY		R	
4Ø5-D5 4Ø6-D6	COMPOUND CODE	0=Not Specified; 1=Not a Compound; 2=Compound	R	
4Ø8-D8	DISPENSE AS WRITTEN (DAW)/PRODUCT SELECTION CODE		R	
414-DE 419-DJ	DATE PRESCRIPTION WRITTEN PRESCRIPTION ORIGIN CODE		R RW	Imp Guide: Required if necessary for plan benefit administration. Payer Requirement: Required on original Rx when Fill Number is "0" (Original Prescription) – values of 1 -5. Mandatory for Medicaid and
460-ET	QUANTITY PRESCRIBED		RW	Adult Benefit Waiver Plans. Imp Guide* : Required when the transmission is for a Schedule II drug as defined in 21 CFR 1308.12 and per CMS-0055-F (Compliance Date 9/21/2020. Refer to the Version D.0 Editorial Document). Payer Requirement: . • Effective 09/21/2020, field is required for Schedule II drugs
3Ø8-C8	OTHER COVERAGE CODE		RW	Imp Guide: Required if needed by receiver, to communicate a summation of other coverage information that has been collected from other payers. Required for Coordination of Benefits. Payer Requirement: Same as Imp Guide. For plans not supporting COB: 0, 1 or this field not being sent is allowed.
6ØØ-28	UNIT OF MEASURE		RW	Imp Guide: Required if necessary for state/federal/regulatory agency programs. Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Required if claim is for Midwest Health Medicaid Plans.

	Claim Segment Segment Identification (111-AM) = "Ø7"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value		Payer Usage	Payer Situation
461-EU	PRIOR AUTHORIZATION TYPE CODE			RW	<i>Imp Guide:</i> Required if this field could result in different coverage, pricing, or patient financial responsibility. <i>Payer Requirement:</i> Same as Imp Guide
462-EV	PRIOR AUTHORIZATION NUMBER SUBMITTED			RW	Imp Guide: Required if this field could result in different coverage, pricing, or patient financial responsibility. Payer Requirement: Required when prior authorization number is issued.
Pricing Segr	nent Questions	Check	Claim Billing/Claim If Situational, Payer		
This Segmen	t is always sent	X			

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
4Ø9-D9	INGREDIENT COST SUBMITTED		R	
478-H7	OTHER AMOUNT CLAIMED SUBMITTED COUNT	Maximum count of 3.	RW	Imp Guide: Required if Other Amount Claimed Submitted Qualifier (479-H8) is used.
470.110			DW/	Payer Requirement: Same as Imp Guide Imp Guide: Required if Other Amount Claimed
479-H8	OTHER AMOUNT CLAIMED SUBMITTED QUALIFIER		RW	Submitted (48Ø-H9) is used.
				Payer Requirement: Same as Imp Guide
48Ø-H9	OTHER AMOUNT CLAIMED SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
				Payer Requirement: Same as Imp Guide
426-DQ	USUAL AND CUSTOMARY CHARGE		RW	<i>Imp Guide:</i> Required if needed per trading partner agreement.
				Payer Requirement: Same as Imp Guide
481-HA	FLAT SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
				Payer Requirement: Same as Imp Guide
482-GE	PERCENTAGE SALES TAX AMOUNT SUBMITTED		RW	<i>Imp Guide:</i> Required if its value has an effect on the Gross Amount Due (43Ø-DU) calculation.
				Payer Requirement: Same as Imp Guide
483-HE	PERCENTAGE SALES TAX RATE SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Basis Submitted (484-JE) are used.
				Required if this field could result in different pricing.
				Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX)
				Payer Requirement: (Same as Imp Guide)
484-JE	PERCENTAGE SALES TAX BASIS SUBMITTED		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Submitted (482-GE) and Percentage Sales Tax Rate Submitted (483-HE) are used.
				Required if this field could result in different pricing.

	Pricing Segment Segment Identification (111-AM) = "11"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Required if needed to calculate Percentage Sales Tax Amount Paid (559-AX) Payer Requirement: Same as Imp Guide
43Ø-DU	GROSS AMOUNT DUE		R	

	Prescriber Segment Questions	Check	Claim Billing/Claim Rebill If Situational, Payer Situation
ſ	This Segment is always sent	Х	
ſ	This Segment is situational		

	Prescriber Segment Segment Identification (111-AM) = "Ø3"				Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value		Payer Usage	Payer Situation
466-EZ	PRESCRIBER ID QUALIFIER	01 – NPI		R	Imp Guide: Required if Prescriber ID (411-DB) is used.
					Payer Requirement: Same as Imp Guide.
411-DB	PRESCRIBER ID			R	<i>Imp Guide:</i> Required if this field could result in different coverage or patient financial responsibility.
					Required if necessary for state/federal/regulatory agency programs.
					Payer Requirement: Prescriber NPI required.
<u> </u>					
Questions	on of Benefits/Other Payments Segment	Check	Claim Billing/Cla If Situational, Pay		
This Segme	nt is always sent				
This Segme	nt is situational	X	Required only for	secondary, t	ertiary, etc claims.
Scenario 1 -	Other Payer Amount Paid Repetitions Only	X			
Scenario 2 -	Other Payer-Patient Responsibility Amount				
Repetitions	and Benefit Stage Repetitions Only				
	Other Payer Amount Paid, Other Payer-				
	ponsibility Amount, and Benefit Stage				
Repetitions	Present (Government Programs)				

If the Payer supports the Coordination of Benefits/Other Payments Segment, only one scenario method shown above may be supported per template. The template shows the Coordination of Benefits/Other Payments Segment that must be used for each scenario method. The Payer must choose the appropriate scenario method with the segment chart, and delete the other scenario methods with their segment charts. See section <u>Coordination of Benefits (COB) Processing</u> for more information.

	Coordination of Benefits/Other Payments Segment Segment Identification (111-AM) = "Ø5"			Claim Billing/Claim Rebill Scenario 1 - Other Payer Amount Paid Repetitions Only
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
337-4C	COORDINATION OF BENEFITS/OTHER PAYMENTS COUNT	Maximum count of 9.	М	
338-5C	OTHER PAYER COVERAGE TYPE		М	
339-6C	OTHER PAYER ID QUALIFIER		RW	Imp Guide: Required if Other Payer ID (34Ø- 7C) is used. Payer Requirement: Same as Imp Guide

34Ø-7C	OTHER PAYER ID			RW	<i>Imp Guide:</i> Required if identification of the Other Payer is necessary for claim/encounter adjudication.
					Payer Requirement: For Michigan (i) Managed Medicaid plans, (ii) Adult Benefit Waiver plans, and (iii) Plan B programs: Health Plan, use the 7-digit Payer ID assigned by MDCH. For other payers, use the carrier code assigned by MDCH
443-E8	OTHER PAYER DATE			RW	<i>Imp Guide:</i> Required if identification of the Other Payer Date is necessary for claim/encounter adjudication.
341-HB	OTHER PAYER AMOUNT PAID COUNT	Maximum cour	nt of 9.	RW	Payer Requirement: Same as Imp Guide Imp Guide: Required if Other Payer Amount Paid Qualifier (342-HC) is used.
					Payer Requirement: Same as Imp Guide
342-HC	OTHER PAYER AMOUNT PAID QUALIFIER			RW	<i>Imp Guide:</i> Required if Other Payer Amount Paid (431-DV) is used.
					Payer Requirement: Same as Imp Guide
431-DV	OTHER PAYER AMOUNT PAID			RW	<i>Imp Guide:</i> Required if other payer has approved payment for some/all of the billing.
					Not used for patient financial responsibility only billing.
					Not used for non-governmental agency programs if Other Payer-Patient Responsibility Amount (352-NQ) is submitted.
					Payer Requirement: Same as Imp Guide
471-5E	OTHER PAYER REJECT COUNT	Maximum cour	nt of 5.	RW	<i>Imp Guide:</i> Required if Other Payer Reject Code (472-6E) is used.
					Payer Requirement: Same as Imp Guide
472-6E	OTHER PAYER REJECT CODE			RW	<i>Imp Guide:</i> Required when the other payer has denied the payment for the billing, designated with Other Coverage Code (3Ø8-C8) = 3 (Other Coverage Billed – claim not covered)
					Payer Requirement: Same as Imp Guide
Compound	Segment Questions	Check	Claim Billing/Cla		
			If Situational, Pay	er Situation	

Compound Segment Questions	Check	Claim Billing/Claim Rebill If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	Х	To be sent if claim is for a compound.

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
45Ø-EF	COMPOUND DOSAGE FORM DESCRIPTION CODE		М	
451-EG	COMPOUND DISPENSING UNIT FORM		М	
447-EC	COMPOUND INGREDIENT COMPONENT COUNT	Maximum 25 ingredients	М	
488-RE	COMPOUND PRODUCT ID QUALIFIER		М	
489-TE	COMPOUND PRODUCT ID		М	
448-ED	COMPOUND INGREDIENT QUANTITY		М	
449-EE	COMPOUND INGREDIENT DRUG COST		RW	Imp Guide: Required if needed for receiver claim determination when multiple products are billed.

	Compound Segment Segment Identification (111-AM) = "1Ø"			Claim Billing/Claim Rebill
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
				Payer Requirement: Same as Imp Guide
49Ø-UE	COMPOUND INGREDIENT BASIS OF COST DETERMINATION		RW	<i>Imp Guide:</i> Required if needed for receiver claim determination when multiple products are billed.
				Payer Requirement: Same as Imp Guide)

RESPONSE CLAIM BILLING/CLAIM REBILL PAYER SHEET CLAIM BILLING/CLAIM REBILL ACCEPTED/PAID (OR DUPLICATE OF PAID) RESPONSE

** Start of Response Claim	Billing/Claim Rebill (B1/B3) Payer Sheet **				
GENERAL INFORMATION					
Payer Name: 4-D Pharmacy Management	Date: 08/04/2020				
Plan Name/Group Name: 4-D Pharmacy Management	BIN: 600428	PCN: 01990000			
Plan Name/Group Name: 4-D Pharmacy Management	BIN: 018810	PCN: 01990000			
Plan Name/Group Name: Midwest Health Medicaid	BIN: 600428	PCN: 01990000			

CLAIM BILLING/CLAIM REBILL PAID (OR DUPLICATE OF PAID) RESPONSE

The following lists the segments and fields in a Claim Billing or Claim Rebill response (Paid or Duplicate of Paid) Transaction for the NCPDP *Telecommunication Standard Implementation Guide Version D.Ø*.

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent	Х	

	Response Transaction Header Segment			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1, B3	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Insurance Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	Х	Used to provide Network Reimbursement ID when needed.

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
3Ø1-C1	GROUP ID			<i>Imp Guide:</i> Required if needed to identify the actual cardholder or employer group, to identify appropriate group number, when available.
				Required to identify the actual group that was used when multiple group coverages exist.
				Payer Requirement: Same as Imp Guide

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
545-2F	NETWORK REIMBURSEMENT ID		RŴ	Imp Guide: Required if needed to identify the network for the covered member. Required if needed to identify the actual
				Network Reimbursement ID, when applicable and/or available.
				Required to identify the actual Network Reimbursement ID that was used when multiple Network Reimbursement IDs exist.
				Payer Requirement: Same as Imp Guide

Response Patient Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent		
This Segment is situational	Х	Returned when any of the field data is known.

	Response Patient Segment Segment Identification (111-AM) = "29"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
31Ø-CA	PATIENT FIRST NAME		RW	Imp Guide: Required if known.
				Payer Requirement Same as Imp Guide
311-CB	PATIENT LAST NAME		RW	Imp Guide: Required if known.
				Payer Requirement: Same as Imp Guide
3Ø4-C4	DATE OF BIRTH		RW	Imp Guide: Required if known.
				Payer Requirement: Same as Imp Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, Payer Situation
This Segment is always sent	Х	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	P=Paid D=Duplicate of Paid	M	
5Ø3-F3	AUTHORIZATION NUMBER		RW	Imp Guide: Required if needed to identify the transaction. Payer Requirement: Same as Imp Guide
547-5F	APPROVED MESSAGE CODE COUNT	Maximum count of 5.		Imp Guide: Required if Approved Message Code (548-6F) is used. Payer Requirement: Same as Imp Guide
548-6F	APPROVED MESSAGE CODE			Imp Guide: Required if Approved Message Code Count (547-5F) is used and the sender needs to communicate additional follow up for a potential opportunity. Payer Requirement: Same as Imp Guide
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Same as Imp Guide. Note: Current NCPDP and SS&C Health count supported = maximum of 9.

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RŴ	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
				Payer Requirement: Same as Imp Guide
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	<i>Imp Guide:</i> Required when additional text is needed for clarification or detail.
				Payer Requirement: Same as Imp Guide
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	Imp Guide: Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. Payer Requirement: Same as Imp Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Same as Imp Guide
55Ø-8F	HELP DESK PHONE NUMBER		RW	Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Same as Imp Guide. Note: Help Desk Phone Number may continue to be returned in 526-FQ Additional Message Information field.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent	Х	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usaqe	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	M	<i>Imp Guide:</i> For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing)
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE NUMBER		М	

Response Pricing Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>
This Segment is always sent	Х	

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
5Ø5-F5	PATIENT PAY AMOUNT		R	
5Ø6-F6	INGREDIENT COST PAID		R	
5Ø7-F7	DISPENSING FEE PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.
				Payer Requirement: Same as Imp Guide

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
558-AW	FLAT SALES TAX AMOUNT PAID		RW	Imp Guide: Required if Flat Sales Tax Amount Submitted (481-HA) is greater than zero (\emptyset) or if Flat Sales Tax Amount Paid (558-AW) is used to arrive at the final reimbursement.
				Payer Requirement: Same as Imp Guide
559-AX	PERCENTAGE SALES TAX AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.
				Required if Percentage Sales Tax Amount Submitted (482-GE) is greater than zero (Ø)
				Required if Percentage Sales Tax Rate Paid (56Ø-AY) and Percentage Sales Tax Basis Paid (561-AZ) are used.
				Payer Requirement: Same as Imp Guide
56Ø-AY	PERCENTAGE SALES TAX RATE PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø)
				Payer Requirement: Same as Imp Guide
561-AZ	PERCENTAGE SALES TAX BASIS PAID		RW	<i>Imp Guide:</i> Required if Percentage Sales Tax Amount Paid (559-AX) is greater than zero (Ø)
				Payer Requirement: Same as Imp Guide
521-FL	INCENTIVE AMOUNT PAID		RW	Imp Guide: Required if this value is used to arrive at the final reimbursement. Required if Incentive Amount Submitted (438-E3) is greater than zero (Ø)
				Payer Requirement: Same as Imp Guide
563-J2	OTHER AMOUNT PAID COUNT	Maximum count of 3.	RW	<i>Imp Guide:</i> Required if Other Amount Paid (565-J4) is used.
				Payer Requirement: Same as Imp Guide
564-J3	OTHER AMOUNT PAID QUALIFIER		RW	Imp Guide: Required if Other Amount Paid (565-J4) is used.
				Payer Requirement: Same as Imp Guide
565-J4	OTHER AMOUNT PAID		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.
				Required if Other Amount Claimed Submitted (48Ø-H9) is greater than zero (Ø)
				Payer Requirement: Same as Imp Guide
566-J5	OTHER PAYER AMOUNT RECOGNIZED		RW	<i>Imp Guide:</i> Required if this value is used to arrive at the final reimbursement.
				Required if Other Payer Amount Paid (431- DV) is greater than zero (Ø) and Coordination of Benefits/Other Payments Segment is supported.
				Payer Requirement: Same as Imp Guide

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
522-FM	BASIS OF REIMBURSEMENT DETERMINATION		RW	<i>Imp Guide:</i> Required if Ingredient Cost Paid (5Ø6-F6) is greater than zero (Ø)
				Required if Basis of Cost Determination (432-DN) is submitted on billing.
				Payer Requirement: Same as Imp Guide
512-FC	ACCUMULATED DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
				Payer Requirement: Same as Imp Guide
513-FD	REMAINING DEDUCTIBLE AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
				Payer Requirement: Same as Imp Guide
514-FE	REMAINING BENEFIT AMOUNT		RW	<i>Imp Guide:</i> Provided for informational purposes only.
				Payer Requirement: Same as Imp Guide
517-FH	AMOUNT APPLIED TO PERIODIC DEDUCTIBLE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes deductible
				Payer Requirement: Same as Imp Guide
518-FI	AMOUNT OF COPAY		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes copay as patient financial responsibility.
				Payer Requirement: Same as Imp Guide
52Ø-FK	AMOUNT EXCEEDING PERIODIC BENEFIT MAXIMUM		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes amount exceeding periodic benefit maximum.
				Payer Requirement: Same as Imp Guide
571-NZ	AMOUNT ATTRIBUTED TO PROCESSOR FEE		RW	<i>Imp Guide:</i> Required if the customer is responsible for 1ØØ% of the prescription payment and when the provider net sale is less than the amount the customer is expected to pay.
				Payer Requirement: Same as Imp Guide
572-4U	AMOUNT OF COINSURANCE		RW	<i>Imp Guide:</i> Required if Patient Pay Amount (5Ø5-F5) includes coinsurance as patient financial responsibility.
				Payer Requirement: Same as Imp Guide
392-MU	BENEFIT STAGE COUNT	Maximum count of 4.	RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used.
202 14/				Payer Requirement: Same as Imp Guide.
393-MV	BENEFIT STAGE QUALIFIER		RW	<i>Imp Guide:</i> Required if Benefit Stage Amount (394-MW) is used.
204 1414			DW/	Payer Requirement: Same as Imp Guide
394-MW	BENEFIT STAGE AMOUNT		RW	Imp Guide: Required when a Medicare Part D payer applies financial amounts to Medicare Part D beneficiary benefit stages. This field is required when the plan is a participant in a Medicare Part D program that requires reporting of benefit stage specific financial amounts.
				Required if necessary for state/federal/regulatory agency programs.
				Payer Requirement: Same as Imp Guide

	Response Pricing Segment Segment Identification (111-AM) = "23"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Paye Usag	r Payer Situation
577-G3	ESTIMATED GENERIC SAVINGS		RŴ	<i>Imp Guide:</i> This information should be provided when a patient selected the brand drug and a generic form of the drug was available. It will contain an estimate of the difference between the cost of the brand drug and the generic drug, when the brand drug is more expensive than the generic.
128-UC	SPENDING ACCOUNT AMOUNT REMAINING		RW	Payer Requirement: Same as Imp Guide Imp Guide: This dollar amount will be provided, if known, to the receiver when the transaction had spending account dollars reported as part of the patient pay amount.
129-UD	HEALTH PLAN-FUNDED ASSISTANCE AMOUNT		RW	the plan-funded assistance criteria, to reduce Patient Pay Amount (5Ø5-F5) The resulting Patient Pay Amount (5Ø5-F5) must be greater than or equal to zero.
133-UJ	AMOUNT ATTRIBUTED TO PROVIDER NETWORK SELECTION		RW	Payer Requirement: Same as Imp Guide Imp Guide: Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a cost share differential due to the selection of one pharmacy over another
134-UK	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND DRUG		RW	Payer Requirement: Same as Imp Guide Imp Guide: Required if Patient Pay Amount (5Ø5-F5) includes an amount that is attributable to a patient's selection of a Bran drug.
135-UM	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/NON-PREFERRED FORMULARY SELECTION		RW	(5Ø5-F5) includes an amount that is attributable to a patient's selection of a non- preferred formulary product.
136-UN	AMOUNT ATTRIBUTED TO PRODUCT SELECTION/BRAND NON-PREFERRED FORMULARY SELECTION		RW	(5Ø5-F5) includes an amount that is attributable to a patient's selection of a Brar non-preferred formulary product.
137-UP	AMOUNT ATTRIBUTED TO COVERAGE GAP		RW	financial responsibility is due to the coverag gap.
Response D	UR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplica If Situational, Payer Situatio	ate of Paid)
This Seamen	t is always sent		, , , , , , , , , , , , , , , , , , , ,	

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill – Accepted/Paid (or Duplicate of Paid)
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	<i>Imp Guide:</i> Required if Reason For Service Code (439-E4) is used.
				Payer Requirement: Same as Imp Guide
439-E4	REASON FOR SERVICE CODE		RW	Imp Guide: Required if utilization conflict is detected.
				Payer Requirement: Same as Imp Guide
528-FS	CLINICAL SIGNIFICANCE CODE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
				Payer Requirement: Same as Imp Guide Imp Guide: Required if needed to supply
529-FT	OTHER PHARMACY INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
				Payer Requirement: Same as Imp Guide
53Ø-FU	PREVIOUS DATE OF FILL		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
				Required if Quantity of Previous Fill (531-FV) is used.
				Payer Requirement: Same as Imp Guide
531-FV	QUANTITY OF PREVIOUS FILL		RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (53Ø-FU) is
				used.
				Payer Requirement: Same as Imp Guide
532-FW	DATABASE INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
				Payer Requirement: Same as Imp Guide
533-FX	OTHER PRESCRIBER INDICATOR		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
				Payer Requirement: Same as Imp Guide
544-FY	DUR FREE TEXT MESSAGE		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
				Payer Requirement: Same as Imp Guide
57Ø-NS	DUR ADDITIONAL TEXT		RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
				Payer Requirement: Same as Imp Guide

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Paid (or Duplicate of Paid) If Situational, <i>Payer Situation</i>	
This Segment is always sent			
This Segment is situational	Х	Used if COB or Other Payment Information is to be sent.	
Response Coordination of		Claim Billing/Claim Rebill – Accented/Paid	

Response Coordination of	Claim Billing/Claim Rebill – Accepted/Paid
Benefits/Other Payers Segment	(or Duplicate of Paid)
Segment Identification (111-AM) = "28"	

Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	М	
338-5C	OTHER PAYER COVERAGE TYPE		М	
339-6C	OTHER PAYER ID QUALIFIER		RW	Imp Guide: Required if Other Payer ID (34Ø- 7C) is used.
				Payer Requirement: Same as Imp Guide
34Ø-7C	OTHER PAYER ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits.
				Payer Requirement: Same as Imp Guide
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	Imp Guide: Required if other insurance information is available for coordination of benefits.
				Payer Requirement: Same as Imp Guide
356-NU	OTHER PAYER CARDHOLDER ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits.
				Payer Requirement: Same as Imp Guide
992-MJ	OTHER PAYER GROUP ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits.
				Payer Requirement: Same as Imp Guide
142-UV	OTHER PAYER PERSON CODE		RW	Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer.
				Payer Requirement: Same as Imp Guide
127-UB	OTHER PAYER HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number of the other payer to the receiver.
				Payer Requirement: Same as Imp Guide
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE		RW	<i>Imp Guide:</i> Required when other coverage is known which is after the Date of Service submitted.
145-UY	OTHER PAYER BENEFIT TERMINATION		RW	Payer Requirement: Same as Imp Guide Imp Guide: Required when other coverage is
140-01	DATE		KVV	known which is after the Date of Service submitted.
				Payer Requirement: Same as Imp Guide

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL ACCEPTED/REJECTED RESPONSE

Response Transaction Header Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational. Paver Situation					
This Segment is always sent	Х						

	Response Transaction Header Segment			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1, B3	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	M	
5Ø1-F1	HEADER RESPONSE STATUS	A = Accepted	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	M	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Insurance Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Used if insurance information is needed.

	Response Insurance Segment Segment Identification (111-AM) = "25"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
545-2F	NETWORK REIMBURSEMENT ID		RŴ	 Imp Guide: Required if needed to identify the network for the covered member. Required if needed to identify the actual Network Reimbursement ID, when applicable and/or available. Required to identify the actual Network Reimbursement ID that was used when multiple Network Reimbursement IDs exist.
				Payer Requirement: Same as Imp Guide

Response Patient Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Used if Patient information is to be returned.

	Response Patient Segment Segment Identification (111-AM) = "29"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
31Ø-CA	PATIENT FIRST NAME		RŴ	Imp Guide: Required if known.
				Payer Requirement: Same as Imp Guide
311-CB	PATIENT LAST NAME		RW	Imp Guide: Required if known.
				Payer Requirement: Same as Imp Guide
3Ø4-C4	DATE OF BIRTH		RW	Imp Guide: Required if known.
				Payer Requirement: Same as Imp Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
112-AN	TRANSACTION RESPONSE STATUS	R = Reject	М	
5Ø3-F3	AUTHORIZATION NUMBER		RW	<i>Imp Guide:</i> Required if needed to identify the transaction.
				Payer Requirement: Same as Imp Guide
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
511-FB	REJECT CODE		R	
546-4F	REJECT FIELD OCCURRENCE INDICATOR		RW	<i>Imp Guide:</i> Required if a repeating field is in error, to identify repeating field occurrence.
				Payer Requirement: Same as Imp Guide
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	<i>Imp Guide:</i> Required if Additional Message Information (526-FQ) is used.
				Payer Requirement: Same as Imp Guide. Note: Current NCPDP and SS&C Health count supported = maximum of 9.

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RŴ	Imp Guide: Required if Additional Message Information (526-FQ) is used.
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Payer Requirement: Same as Imp Guide Imp Guide: Required when additional text is needed for clarification or detail. Payer Requirement: Same as Imp Guide
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY			Imp Guide: Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current. Payer Requirement: Same as Imp Guide
549-7F	HELP DESK PHONE NUMBER QUALIFIER			Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Same as Imp Guide.
55Ø-8F	HELP DESK PHONE NUMBER			Imp Guide: Required if needed to provide a support telephone number to the receiver. Payer Requirement: Same as Imp Guide. Note: Help Desk Phone Number may continue to be returned in 526-FQ Additional Message Information field.

Response Claim Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent	X	

	Response Claim Segment Segment Identification (111-AM) = "22"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
455-EM	PRESCRIPTION/SERVICE REFERENCE NUMBER QUALIFIER	1 = RxBilling	М	Imp Guide: For Transaction Code of "B1", in the Response Claim Segment, the Prescription/Service Reference Number Qualifier (455-EM) is "1" (Rx Billing)
4Ø2-D2	PRESCRIPTION/SERVICE REFERENCE		М	

Response DUR/PPS Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Used if DUR information is needed to be returned.

	Response DUR/PPS Segment Segment Identification (111-AM) = "24"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
567-J6	DUR/PPS RESPONSE CODE COUNTER	Maximum 9 occurrences supported.	RW	Imp Guide: Required if Reason For Service Code (439-E4) is used. Payer Requirement: Same as Imp Guide
439-E4	REASON FOR SERVICE CODE		RW	Imp Guide: Required if utilization conflict is detected. Payer Requirement: Same as Imp Guide

528-FS	CLINICAL SIGNIFICANCE CODE	RW	
		KW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
			Payer Requirement: Same as Imp Guide
529-FT	OTHER PHARMACY INDICATOR	RW	Imp Guide: Required if needed to supply additional information for the utilization conflict.
			Payer Requirement: Same as Imp Guide
53Ø-FU	PREVIOUS DATE OF FILL	RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
			Required if Quantity of Previous Fill (531-FV) is used.
			Payer Requirement: Same as Imp Guide
531-FV	QUANTITY OF PREVIOUS FILL	RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Required if Previous Date Of Fill (53Ø-FU) is used.
			Payer Requirement: Same as Imp Guide
532-FW	DATABASE INDICATOR	RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide
533-FX	OTHER PRESCRIBER INDICATOR	RW	<i>Imp Guide:</i> Required if needed to supply additional information for the utilization conflict.
544-FY	DUR FREE TEXT MESSAGE	RW	Payer Requirement: Same as Imp Guide Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide
57Ø-NS	DUR ADDITIONAL TEXT	RW	Imp Guide: Required if needed to supply additional information for the utilization conflict. Payer Requirement: Same as Imp Guide

Response Prior Authorization Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Used if Prior Authorization is needed to be returned.

	Response Prior Authorization Segment Segment Identification (111-AM) = "26"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
498-PY	PRIOR AUTHORIZATION NUMBER- ASSIGNED		RW	<i>Imp Guide:</i> Required when the receiver must submit this Prior Authorization Number in order to receive payment for the claim.
				Payer Requirement: Same as Imp Guide. Note: Prior Authorization Number may continue to be returned in 526-FQ Additional Message Information field.

Response Coordination of Benefits/Other Payers Segment Questions	Check	Claim Billing/Claim Rebill Accepted/Rejected If Situational, Payer Situation
This Segment is always sent		
This Segment is situational	Х	Used if COB or Other Payer information is needed to be returned.

	Response Coordination of Benefits/Other Payers Segment Segment Identification (111-AM) = "28"			Claim Billing/Claim Rebill Accepted/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
355-NT	OTHER PAYER ID COUNT	Maximum count of 3.	М	
338-5C	OTHER PAYER COVERAGE TYPE		М	
339-6C	OTHER PAYER ID QUALIFIER		RW	<i>Imp Guide:</i> Required if Other Payer ID (34Ø-7C) is used.
				Payer Requirement: Same as Imp Guide
34Ø-7C	OTHER PAYER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
				Payer Requirement: Same as Imp Guide
991-MH	OTHER PAYER PROCESSOR CONTROL NUMBER		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
				Payer Requirement: Same as Imp Guide
356-NU	OTHER PAYER CARDHOLDER ID		RW	<i>Imp Guide:</i> Required if other insurance information is available for coordination of benefits.
				Payer Requirement: Same as Imp Guide
992-MJ	OTHER PAYER GROUP ID		RW	Imp Guide: Required if other insurance information is available for coordination of benefits. Payer Requirement: Same as Imp Guide
142-UV	OTHER PAYER PERSON CODE		RW	Imp Guide: Required if needed to uniquely identify the family members within the Cardholder ID, as assigned by the other payer. Payer Requirement: Same as Imp Guide
127-UB	OTHER PAYER HELP DESK PHONE		RW	<i>Imp Guide:</i> Required if needed to provide a
127-OD	NUMBER			support telephone number of the other payer to the receiver. Payer Requirement: Same as Imp Guide
144-UX	OTHER PAYER BENEFIT EFFECTIVE DATE		RW	Imp Guide: Required when other coverage is known which is after the Date of Service submitted. Payer Requirement: Same as Imp Guide
145-UY	OTHER PAYER BENEFIT TERMINATION DATE		RW	Imp Guide: Required when other coverage is known which is after the Date of Service submitted. Payer Requirement: Same as Imp Guide

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE

CLAIM BILLING/CLAIM REBILL REJECTED/REJECTED RESPONSE							
Response Transaction Header Segment Questions		Check	Claim Billing/Claim Rebill Rejected/Rejected				
			If Situational, Payer Situation				
This Segment is always sent		X					
	Response Transaction Header Segment				Claim Billing/Claim Rebill		
					Rejected/Rejected		
Field #	NCPDP Field Name	Value		Payer	Payer Situation		
				Usage	-		

	Response Transaction Header Segment			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
1Ø2-A2	VERSION/RELEASE NUMBER	DØ	М	
1Ø3-A3	TRANSACTION CODE	B1, B3	М	
1Ø9-A9	TRANSACTION COUNT	Same value as in request	М	
5Ø1-F1	HEADER RESPONSE STATUS	R = Rejected	М	
2Ø2-B2	SERVICE PROVIDER ID QUALIFIER	Same value as in request	М	
2Ø1-B1	SERVICE PROVIDER ID	Same value as in request	М	
4Ø1-D1	DATE OF SERVICE	Same value as in request	М	

Response Message Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, <i>Payer Situation</i>		
This Segment is always sent				
This Segment is situational	X	Used If additional messaging is needed.		

	Response Message Segment Segment Identification (111-AM) = "2Ø"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
			Usage	
5Ø4-F4	MESSAGE		RW	<i>Imp Guide:</i> Required if text is needed for clarification or detail.
				Payer Requirement: Same as Imp Guide

Response Status Segment Questions	Check	Claim Billing/Claim Rebill Rejected/Rejected If Situational, Payer Situation
This Segment is always sent	Х	

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer	Payer Situation
112-AN		D - Deiset	Usage	
	TRANSACTION RESPONSE STATUS	R = Reject	M	
51Ø-FA	REJECT COUNT	Maximum count of 5.	R	
<u>511-FB</u> 546-4F	REJECT CODE REJECT FIELD OCCURRENCE INDICATOR		R RW	Imp Guide: Required if a repeating field is in error, to identify repeating field occurrence. Payer Requirement: Same as Imp Guide
13Ø-UF	ADDITIONAL MESSAGE INFORMATION COUNT	Maximum count of 25.	RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Same as Imp Guide
132-UH	ADDITIONAL MESSAGE INFORMATION QUALIFIER		RW	Imp Guide: Required if Additional Message Information (526-FQ) is used. Payer Requirement: Same as Imp Guide
526-FQ	ADDITIONAL MESSAGE INFORMATION		RW	Imp Guide: Required when additional text is needed for clarification or detail. Payer Requirement: Same as Imp Guide
131-UG	ADDITIONAL MESSAGE INFORMATION CONTINUITY		RW	<i>Imp Guide:</i> Required if and only if current repetition of Additional Message Information (526-FQ) is used, another populated repetition of Additional Message Information (526-FQ) follows it, and the text of the following message is a continuation of the current.
549-7F	HELP DESK PHONE NUMBER QUALIFIER		RW	Payer Requirement: Same as Imp Guide Imp Guide: Required if Help Desk Phone Number (55Ø-8F) is used. Payer Requirement: Same as Imp Guide

	Response Status Segment Segment Identification (111-AM) = "21"			Claim Billing/Claim Rebill Rejected/Rejected
Field #	NCPDP Field Name	Value	Payer Usage	Payer Situation
55Ø-8F	HELP DESK PHONE NUMBER		RW	<i>Imp Guide:</i> Required if needed to provide a support telephone number to the receiver.
				Payer Requirement: Same as Imp Guide. Note: Help Desk Phone Number may continue to be returned in 526-FQ Additional Message Information field.

** End of Response Claim Billing/Claim Rebill (B1/B3) Payer Sheet **

"Materials Reproduced With the Consent of ©National Council for Prescription Drug Programs, Inc. 2008 NCPDP"